

WARM TILES[®] ELITE

FLOOR WARMING MATS (WTE)



Warm Tiles Elite mats are designed for indoor floor warming applications with the least impact on floor height. The WTE system features a super thin 3.18 millimeters (0.125 inches) heating mat that conducts heat to the floor surface in the most efficient way. Mats consist of heating cable interwoven into slim, durable fabric, and come in standard and custom, made-to-order sizes. WTE mats are CSA and UL approved.





FEATURES

- Super thin mat means minimal impact on floor height.
- Quick installation due to special pre-manufactured mat design, saving cost and time.
- High power output up to 160 Watts per square meter (15 Watts per square foot) provides ample heat to quickly and efficiently warm up floors.
- Long cold leads available up to 10.67 meters (35 feet) to provide additional installation flexibility.
- Easy to control with optional EasyHeat programmable or non-programmable thermostats.
- Approved for a variety of applications and floor finishes, for the ultimate in versatility and compatibility.



120 AC VOLT

CATALOG NUMBER	LENGTH	WIDTH	HEATED AREA	CTN QTY	CTN WGT	UPC	CERTIFICATIONS
WTE0400271	1.02m (40in)	0.69m (27in)	0.70m ² (7.5ft ²)	1	1.3kg (2.9lb)	0-13627-16538-0	 
WTE0400321	1.02m (40in)	0.81m (32in)	0.83m ² (8.9ft ²)	1	1.4kg (3.0lb)	0-13627-16546-5	
WTE0400401	1.02m (40in)	1.02m (40in)	1.03m ² (11.1ft ²)	1	1.4kg (3.1lb)	0-13627-16442-0	
WTE0400481	1.02m (40in)	1.22m (48in)	1.24m ² (13.3ft ²)	1	1.5kg (3.2lb)	0-13627-16537-3	
WTE0480241	1.22m (48in)	0.61m (24in)	0.74m ² (8ft ²)	1	1.3kg (2.9lb)	0-13627-16443-7	
WTE0480301	1.22m (48in)	0.76m (30in)	0.93m ² (10ft ²)	1	1.4kg (3.0lb)	0-13627-16501-4	
WTE0480361	1.22m (48in)	0.91m (36in)	1.11m ² (12ft ²)	1	1.5kg (3.2lb)	0-13627-16541-0	
WTE0480481	1.22m (48in)	1.22m (48in)	1.49m ² (16ft ²)	1	1.5kg (3.4lb)	0-13627-16444-4	
WTE0600241	1.52m (60in)	0.61m (24in)	0.93m ² (10ft ²)	1	1.8kg (4.0lb)	0-13627-16446-8	
WTE0600301	1.52m (60in)	0.76m (30in)	1.16m ² (12.5ft ²)	1	1.9kg (4.2lb)	0-13627-16542-7	
WTE0600361	1.52m (60in)	0.91m (36in)	1.39m ² (15ft ²)	1	2.0kg (4.4lb)	0-13627-16543-4	
WTE0600421	1.52m (60in)	1.67m (42in)	1.63m ² (17.5ft ²)	1	2.0kg (4.5lb)	0-13627-16447-5	
WTE0600481	1.52m (60in)	1.22m (48in)	1.86m ² (20ft ²)	1	2.1kg (4.7lb)	0-13627-16544-1	
WTE0600601	1.52m (60in)	1.52m (60in)	2.32m ² (25ft ²)	1	2.3kg (5.0lb)	0-13627-16450-5	
WTE0720241	1.83m (72in)	0.61m (24in)	1.11m ² (12ft ²)	1	1.9kg (4.2lb)	0-13627-16458-1	
WTE0720301	1.83m (72in)	0.76m (30in)	1.39m ² (15ft ²)	1	2.0kg (4.4lb)	0-13627-16460-4	
WTE0720361	1.83m (72in)	0.91m (36in)	1.67m ² (18ft ²)	1	2.1kg (4.6lb)	0-13627-16545-8	
WTE0720421	1.83m (72in)	1.67m (42in)	1.95m ² (21ft ²)	1	2.2kg (4.8lb)	0-13627-16463-5	
WTE0720481	1.83m (72in)	1.22m (48in)	2.23m ² (24ft ²)	1	2.3kg (5.0lb)	0-13627-16539-7	
WTE0720601	1.83m (72in)	1.52m (60in)	2.79m ² (30ft ²)	1	2.4kg (5.4lb)	0-13627-16464-2	
WTE0840241	2.13m (84in)	0.61m (24in)	1.30m ² (14ft ²)	1	2.0kg (4.3lb)	0-13627-16468-0	
WTE0840301	2.13m (84in)	0.76m (30in)	1.63m ² (17.5ft ²)	1	2.0kg (4.5lb)	0-13627-16469-7	
WTE0840361	2.13m (84in)	0.91m (36in)	1.95m ² (21ft ²)	1	2.2kg (4.8lb)	0-13627-16470-3	
WTE0840421	2.13m (84in)	1.67m (42in)	2.28m ² (24.5ft ²)	1	2.3kg (5.0lb)	0-13627-16472-7	
WTE0840481	2.13m (84in)	1.22m (48in)	2.60m ² (28ft ²)	1	2.4kg (5.2lb)	0-13627-16473-4	
WTE0840601	2.13m (84in)	1.52m (60in)	3.25m ² (35ft ²)	1	2.6kg (5.7lb)	0-13627-16475-8	
WTE0960241	2.44m (96in)	0.61m (24in)	1.49m ² (16ft ²)	1	2.0kg (4.4lb)	0-13627-16476-5	
WTE0960301	2.44m (96in)	0.76m (30in)	1.86m ² (20ft ²)	1	2.1kg (4.7lb)	0-13627-16440-6	
WTE0960361	2.44m (96in)	0.91m (36in)	2.23m ² (24ft ²)	1	2.3kg (5.0lb)	0-13627-16480-2	
WTE0960421	2.44m (96in)	1.67m (42in)	2.60m ² (28ft ²)	1	2.4kg (5.2lb)	0-13627-16479-6	
WTE0960481	2.44m (96in)	1.22m (48in)	2.97m ² (32ft ²)	1	2.5kg (5.5lb)	0-13627-16478-9	
WTE0960601	2.44m (96in)	1.52m (60in)	3.72m ² (40ft ²)	1	2.7kg (6.0lb)	0-13627-16477-2	
WTE1080241	2.74m (108in)	0.61m (24in)	1.67m ² (18ft ²)	1	2.1kg (4.6lb)	0-13627-16474-1	
WTE1080301	2.74m (108in)	0.76m (30in)	2.09m ² (22.5ft ²)	1	2.2kg (4.9lb)	0-13627-16471-0	
WTE1080361	2.74m (108in)	0.91m (36in)	2.51m ² (27ft ²)	1	2.4kg (5.2lb)	0-13627-16467-3	
WTE1080421	2.74m (108in)	1.67m (42in)	2.93m ² (31.5ft ²)	1	2.5kg (5.5lb)	0-13627-16466-6	

120 AC VOLT CONTINUED

CATALOG NUMBER	LENGTH	WIDTH	HEATED AREA	CTN QTY	CTN WGT	UPC	CERTIFICATIONS
WTE1080481	2.74m (108in)	1.22m (48in)	3.34m ² (36ft ²)	1	2.6kg (5.8lb)	0-13627-16465-9	 
WTE1080601	2.74m (108in)	1.52m (60in)	4.18m ² (45ft ²)	1	2.9kg (6.4lb)	0-13627-16461-1	
WTE1180241	3m (118in)	0.61m (24in)	1.83m ² (19.7ft ²)	1	2.1kg (4.7lb)	0-13627-16451-2	
WTE1180301	3m (118in)	0.76m (30in)	2.29m ² (24.6ft ²)	1	2.3kg (5.0lb)	0-13627-16449-9	
WTE1180361	3m (118in)	0.91m (36in)	2.74m ² (29.5ft ²)	1	2.4kg (5.3lb)	0-13627-16448-2	
WTE1180421	3m (118in)	1.67m (42in)	3.20m ² (34.4ft ²)	1	2.6kg (5.7lb)	0-13627-16445-1	
WTE1180481	3m (118in)	1.22m (48in)	3.65m ² (39.3ft ²)	1	2.7kg (6.0lb)	0-13627-16481-9	
WTE1180601	3m (118in)	1.52m (60in)	4.57m ² (49.2ft ²)	1	3.0kg (6.6lb)	0-13627-16441-3	

240 AC VOLT


CATALOG NUMBER	LENGTH	WIDTH	HEATED AREA	CTN QTY	CTN WGT	UPC	CERTIFICATIONS
WTE0400272	1.02m (40in)	0.69m (27in)	0.70m ² (7.5ft ²)	1	1.3kg (2.9lb)	0-13627-16513-7	 
WTE0400322	1.02m (40in)	0.81m (32in)	0.83m ² (8.9ft ²)	1	1.4kg (3.0lb)	0-13627-16512-0	
WTE0400402	1.02m (40in)	1.02m (40in)	1.03m ² (11.1ft ²)	1	1.4kg (3.1lb)	0-13627-16462-8	
WTE0400482	1.02m (40in)	1.22m (48in)	1.24m ² (13.3ft ²)	1	1.5kg (3.2lb)	0-13627-16507-6	
WTE0480242	1.22m (48in)	0.61m (24in)	0.74m ² (8ft ²)	1	1.3kg (2.9lb)	0-13627-16510-6	
WTE0480302	1.22m (48in)	0.76m (30in)	0.93m ² (10ft ²)	1	1.4kg (3.0lb)	0-13627-16498-7	
WTE0480362	1.22m (48in)	0.91m (36in)	1.11m ² (12ft ²)	1	1.5kg (3.2lb)	0-13627-16499-4	
WTE0480482	1.22m (48in)	1.22m (48in)	1.49m ² (16ft ²)	1	1.5kg (3.4lb)	0-13627-16500-7	
WTE0600242	1.52m (60in)	0.61m (24in)	0.93m ² (10ft ²)	1	1.8kg (4.0lb)	0-13627-16482-6	
WTE0600302	1.52m (60in)	0.76m (30in)	1.16m ² (12.5ft ²)	1	1.9kg (4.2lb)	0-13627-16483-3	
WTE0600362	1.52m (60in)	0.91m (36in)	1.39m ² (15ft ²)	1	2.0kg (4.4lb)	0-13627-16484-0	
WTE0600422	1.52m (60in)	1.67m (42in)	1.63m ² (17.5ft ²)	1	2.0kg (4.5lb)	0-13627-16503-8	
WTE0600482	1.52m (60in)	1.22m (48in)	1.86m ² (20ft ²)	1	2.1kg (4.7lb)	0-13627-16504-5	
WTE0600602	1.52m (60in)	1.52m (60in)	2.32m ² (25ft ²)	1	2.3kg (5.0lb)	0-13627-16505-2	
WTE0720242	1.83m (72in)	0.61m (24in)	1.11m ² (12ft ²)	1	1.9kg (4.2lb)	0-13627-16506-9	
WTE0720302	1.83m (72in)	0.76m (30in)	1.39m ² (15ft ²)	1	2.0kg (4.4lb)	0-13627-16508-3	
WTE0720362	1.83m (72in)	0.91m (36in)	1.67m ² (18ft ²)	1	2.1kg (4.6lb)	0-13627-16509-0	
WTE0720422	1.83m (72in)	1.67m (42in)	1.95m ² (21ft ²)	1	2.2kg (4.8lb)	0-13627-16511-3	
WTE0720482	1.83m (72in)	1.22m (48in)	2.23m ² (24ft ²)	1	2.3kg (5.0lb)	0-13627-16516-8	
WTE0720602	1.83m (72in)	1.52m (60in)	2.79m ² (30ft ²)	1	2.4kg (5.4lb)	0-13627-16517-5	
WTE0840242	2.13m (84in)	0.61m (24in)	1.30m ² (14ft ²)	1	2.0kg (4.3lb)	0-13627-16518-2	
WTE0840302	2.13m (84in)	0.76m (30in)	1.63m ² (17.5ft ²)	1	2.0kg (4.5lb)	0-13627-16519-9	
WTE0840362	2.13m (84in)	0.91m (36in)	1.95m ² (21ft ²)	1	2.2kg (4.8lb)	0-13627-16524-3	
WTE0840422	2.13m (84in)	1.67m (42in)	2.28m ² (24.5ft ²)	1	2.3kg (5.0lb)	0-13627-16526-7	
WTE0840482	2.13m (84in)	1.22m (48in)	2.60m ² (28ft ²)	1	2.4kg (5.2lb)	0-13627-16528-1	
WTE0840602	2.13m (84in)	1.52m (60in)	3.25m ² (35ft ²)	1	2.6kg (5.7lb)	0-13627-16529-8	
WTE0960242	2.44m (96in)	0.61m (24in)	1.49m ² (16ft ²)	1	2.0kg (4.4lb)	0-13627-16531-1	
WTE0960302	2.44m (96in)	0.76m (30in)	1.86m ² (20ft ²)	1	2.1kg (4.7lb)	0-13627-16532-8	
WTE0960362	2.44m (96in)	0.91m (36in)	2.23m ² (24ft ²)	1	2.3kg (5.0lb)	0-13627-16534-2	
WTE0960422	2.44m (96in)	1.67m (42in)	2.60m ² (28ft ²)	1	2.4kg (5.2lb)	0-13627-16535-9	
WTE0960482	2.44m (96in)	1.22m (48in)	2.97m ² (32ft ²)	1	2.5kg (5.5lb)	0-13627-16536-6	
WTE0960602	2.44m (96in)	1.52m (60in)	3.72m ² (40ft ²)	1	2.7kg (6.0lb)	0-13627-16540-3	
WTE1080242	2.74m (108in)	0.61m (24in)	1.67m ² (18ft ²)	1	2.1kg (4.6lb)	0-13627-16502-1	
WTE1080302	2.74m (108in)	0.76m (30in)	2.09m ² (22.5ft ²)	1	2.2kg (4.9lb)	0-13627-16492-5	
WTE1080362	2.74m (108in)	0.91m (36in)	2.51m ² (27ft ²)	1	2.4kg (5.2lb)	0-13627-16533-5	
WTE1080422	2.74m (108in)	1.67m (42in)	2.93m ² (31.5ft ²)	1	2.5kg (5.5lb)	0-13627-16530-4	
WTE1080482	2.74m (108in)	1.22m (48in)	3.34m ² (36ft ²)	1	2.6kg (5.8lb)	0-13627-16527-4	
WTE1080602	2.74m (108in)	1.52m (60in)	4.18m ² (45ft ²)	1	2.9kg (6.4lb)	0-13627-16525-0	
WTE1180242	3.00m (118in)	0.61m (24in)	1.83m ² (19.7ft ²)	1	2.1kg (4.7lb)	0-13627-16523-6	
WTE1180302	3.00m (118in)	0.76m (30in)	2.29m ² (24.6ft ²)	1	2.3kg (5.0lb)	0-13627-16522-9	
WTE1180362	3.00m (118in)	0.91m (36in)	2.74m ² (29.5ft ²)	1	2.4kg (5.3lb)	0-13627-16521-2	
WTE1180422	3.00m (118in)	1.67m (42in)	3.20m ² (34.4ft ²)	1	2.6kg (5.7lb)	0-13627-16520-5	
WTE1180482	3.00m (118in)	1.22m (48in)	3.65m ² (39.3ft ²)	1	2.7kg (6.0lb)	0-13627-16515-1	
WTE1180602	3.00m (118in)	1.52m (60in)	4.57m ² (49.2ft ²)	1	3.0kg (6.6lb)	0-13627-16514-4	

WARM TILES® ELITE

CUSTOM FLOOR WARMING MATS (WTE)

If the layout or installation conditions prevent the use of EasyHeat standard Warm Tiles Elite product offering, EasyHeat will work with you to create custom WTE mats tailored to your unique specifications and layout. Submit the WTE Custom Order Form with all the required information, and the EasyHeat Application Engineering team will design a custom mat just for you.

CATALOG NUMBER GUIDE



① Only available for mat length of 1.02 meters (40 inches).


② Not available for mat lengths of 1.02 and 1.22 meters (40 and 48 inches).

③ Custom rectangular shape mat without any notches or cutouts will have a suffix “R” after its main part number. Example: WTE0630491R – 1.60m x 1.24m (63in x 49in), 120 Vac special size RECTANGULAR custom WTE mat.


④ Irregular shape custom mat that may contain any combination of notches, cutouts, bevels, etc. Example: WTE0630491C023 – 1.60m x 1.24m (63in x 49in), 120 Vac special size irregular shape CUSTOM mat with a unique design (three-digit code behind “C” suffix is assigned by application engineering team).

CUSTOM MAT SHAPES


WTE mats can be provided in custom sizes or shapes – some typical shapes may include:



BEVEL



HOLE



NOTCH



L-SHAPED

Contact a local EasyHeat sales representative for assistance.